

www.InforMedCenters.com  
**Your Test Results**  
1 - 8 6 6 - 4 7 8 - 3 4 1 7

Laboratory  
Lab Corp  
Code #.  
XY0101

Order Date	First Name	Last Name	Date of Birth	Speciment Nr.
2/21/2006	Confidential	XY0101	01/01/2001	111111111

Test	Result	Reference	Interpretation
HIV 1 Antibodies	Non-Reactive	Non-Reactive	Your Test is NEGATIVE
Chlamydia PCR	Positive	Negative	<b>Your Test is POSITIVE</b>
Gonorrhea PCR	Negative	Negative	Your Test is NEGATIVE
Hepatitis A Antibodies IgM	Negative	Negative	Your Test is NEGATIVE
Hepatitis B Core Antibody Total	Negative	Negative	Your Test is NEGATIVE
Hepatitis B Surface Antigen	Negative	Negative	Your Test is NEGATIVE
Hepatitis C Antibodies	Negative	Negative	Your Test is NEGATIVE
RPR - Syphilis	Non-Reactive	Non-Reactive	Your Test is NEGATIVE
Herpes 1 IgG Type Specific	5.8	0.0 - 0.8	<b>Your Test is POSITIVE</b>
Herpes 2 IgG Type Specific	<0.9	<0.9	Your Test is NEGATIVE

### Comments

#### FINAL REPORT

Your Screening Test for Chlamydia PCR is POSITIVE - Please contact Your Physician - or call 1-866-478-3417 to speak to a counselor.

Your Screening Test for Herpes type 1 IgG is POSITIVE and NEGATIVE for Herpes Type 2 IgG Antibodies IgG Index = Negative <0.9 Equivocal 0.9 - 1.0 Positive >1.0

If your exposure to Herpes is less than 4 months it is recommended to retest for IgG type 2 only.